

SQUAMATES

HOME RANGE - What is the home range size for the species?

Species	Common Name	Home Range
Sauria	Lizards	
Anguidae	Anguid Lizards	
<i>Ophisaurus attenuatus longicaudus</i>	Eastern Slender Glass Lizard	Unk
<i>Ophisaurus ventralis</i>	Eastern Glass Lizard	Unk
Lacertidae	Wall Lizards	
<i>Podarcis sicula</i>	Italian Wall Lizard	Unk
Phrynosomatidae	Sceloporine Lizards	
<i>Sceloporus undulatus hyacinthinus</i>	Northern Fence Lizard	61 m ² (M), 47 m ² (F) (Brooks 1969)
Scincidae	Skinks	
<i>Eumeces a. anthracinus</i>	Northern Coal Skink	Unk
<i>Eumeces fasciatus</i>	Common Five-lined Skink	707 m ² (M), 79 m ² (F) (Fitch 1954); adult M 130-2,220 m ² , adult F 30- 1,220 m ² (Fitch and von Achen 1977)
<i>Eumeces inexpectatus</i>	Southeastern Five-lined Skink	Unk
<i>Eumeces laticeps</i>	Broad-headed Skink	Unk
<i>Scincella lateralis</i>	Ground Skink	2.5-54.3 m ² F, 25.1-106.2 m ² M (Brooks 1967); adult M 890-1610 m ² , adult F 167-560 m ² (Fitch and von Achen 197)
Teiidae	Whiptails	
<i>Cnemidophorus s. sexlineatus</i>	Eastern Six-lined Racerunner	Unk
Colubridae	Colubrids	
<i>Carphophis a. amoenus</i>	Eastern Worm Snake	253 m ² (Barbour et al. 1969)
<i>Cemophora coccinea copei</i>	Northern Scarlet Snake	Unk
<i>Clonophis kirtlandii</i>	Kirtland's Snake	Unk
<i>Coluber c. constrictor</i>	Northern Black Racer	10.5 ha (Fitch 1963b)
<i>Diadophis p. punctatus</i>	Southern Ringneck Snake	axes 140 m (Ernst and Barbour 1989)
<i>Diadophis p. edwardsii</i>	Northern Ringneck Snake	axes 140 m (Ernst and Barbour 1989)

<i>Elaphe guttata</i>	Corn Snake	Unk
<i>Elaphe o. obsoleta</i>	Black Rat Snake	600 m diameter, 10-25 ha (Stickel et al. 1980)
<i>Farancia a. abacura</i>	Eastern Mud Snake	Unk
<i>Farancia e. erythrogramma</i>	Common Rainbow Snake	Unk
<i>Heterodon platirhinos</i>	Eastern Hog-nosed Snake	Unk
<i>Lampropeltis calligaster rhombomaculata</i>	Mole Kingsnake	22 ha (Fitch 1978)
<i>Lampropeltis g. getula</i>	Eastern Kingsnake	Unk; not studied (Ernst and Barbour 1989)
<i>Lampropeltis g. nigra</i>	Eastern Black Kingsnake	Unk; not studied (Ernst and Barbour 1989)
<i>Lampropeltis t. triangulum</i>	Eastern Milk Snake	Unk
<i>Nerodia e. erythrogaster</i>	Red-bellied Water Snake	Unk
<i>Nerodia s. sipedon</i>	Northern Water Snake	Unk
<i>Nerodia taxispilota</i>	Brown Water Snake	Unk
<i>Opheodrys aestivus</i>	Northern Rough Green Snake	Unk, but small (Plummer 1981)
<i>Opheodrys vernalis</i>	Smooth Green Snake	Unk
<i>Pituophis m. melanoleucus</i>	Northern Pine Snake	Unk
<i>Regina r. rigida</i>	Glossy Crayfish Snake	Unk
<i>Regina septemvittata</i>	Queen Snake	Unk
<i>Storeria d. dekayi</i>	Northern Brown Snake	Unk
<i>Storeria o. occipitomaculata</i>	Northern Red-bellied Snake	Unk
<i>Tantilla coronata</i>	Southeastern Crowned Snake	Unk
<i>Thamnophis brachystoma</i>	Short-headed Garter Snake	Unk
<i>Thamnophis s. sauritus</i>	Common Ribbon Snake	Unk
<i>Thamnophis sauritis septentrionalis</i>	Northern Ribbon Snake	Unk
<i>Thamnophis sirtalis pallidulus</i>	Maritime Garter Snake	14 ha (Fitch 1958a)
<i>Thamnophis s. sirtalis</i>	Eastern Garter Snake	14 ha (Fitch 1958a)
<i>Virginia striatula</i>	Rough Earth Snake	average 100 m ² (Clark and Fleet 1976)
<i>Virginia v. valeriae</i>	Eastern Smooth Earth Snake	Unk
<i>Virginia v. pulchra</i>	Mountain Earth Snake	Unk

Typhlopidae	Blindsnakes	
<i>Ramphotyphlops braminus</i>	Brahminy Blind Snake	Unk
Viperidae	Pitvipers	
<i>Agkistrodon c. contortrix</i>	Southern Copperhead	Unk
<i>Agkistrodon c. mokasen</i>	Northern Copperhead	Unk
<i>Agkistrodon p. piscivorus</i>	Eastern Cottonmouth	Unk
<i>Crotalus horridus</i>	Timber Rattlesnake	5 km diameter M, 4.3 km diameter F, 1 km diameter gravid F, 3.7 km diameter juvenile (Martin 1988, 1992)
<i>Sistrurus c. catenatus</i>	Eastern Massasauga	9794 m ² = 1 ha (Reinert and Kodrich 1982)

Home Range Codes: State in m² or km²